

FLAUTO CHROME-PLATED ELECTRIC

height 1218 mm, length 506 mm. Chrome-plated finish (cod. 50).



Technical features:

- electric steel towel warmer radiator
- horizontal elements with round tubes 18 mm diameter
- side manifolds with a 30 mm round section
- complete with thermal liquid
- power cable, length 1200 mm, SCHUKO plug

Price included:

- 4 chela wall brackets

Finishes available	Surcharge
Chrome-plated (cod. 50)	

ELECTRIC HEATERS AVAILABLE

ELECTRIC HEATING ELEMENT WITH IR ELECTRONIC CONTROL (TYPE H)



Digital electronic control for regulating the ambient temperature, programmable weekly.
Insulation class: II.
Protection index: IP44.
The electronics are supplied in glossy chrome color.



WIFI CONTROL *

ELECTRIC HEATING ELEMENT WITH WI-FI ELECTRONIC CONTROL (TYPE E)



Control your radiator remotely using the IRSAP NOW app available from:



Compatible with the systems:




WiFi electronic control for regulating the ambient temperature, programmable weekly.
Insulation class: II.
Protection index: IP24.

*** Available only for UE and CH.**




View the online guides at:
now.irsap.com






FLAUTO CHROME-PLATED ELECTRIC WITH ELECTRONIC CONTROL (H)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power
						Watt
810 - 20 rails - 2 espace	FTP050 H 50 IR 01 NNN	46	810	506	9,4	300
1218 - 30 rails - 3 espaces	FTM050 H 50 IR 01 NNN	46	1218	506	13,8	400
1158 - 38 rails - 4 espaces	FTL050 H 50 IR 01 NNN	46	1558	506	17,5	600
1762 - 44 rails - 4 espaces	FTG050 H 50 IR 01 NNN	46	1762	506	20,0	700


FLAUTO CHROME-PLATED ELECTRIC WITH WI-FI ELECTRONIC CONTROL (E)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power
						Watt
810 - 20 rails - 2 espace	FTP050 E 50 IR 01 NNN	46	810	506	9,7	300
1218 - 30 rails - 3 espaces	FTM050 E 50 IR 01 NNN	46	1218	506	14,2	400
1158 - 38 rails - 4 espaces	FTL050 E 50 IR 01 NNN	46	1558	506	17,8	600
1762 - 44 rails - 4 espaces	FTG050 E 50 IR 01 NNN	46	1762	506	20,4	700



Key Codes



Key Codes

